AMENDMENTS TO THE CLAIMS

Docket No.: 64734(70403)

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of claims:

- 1. 61. (Cancelled)
- 62. (Currently amended) A method of treating premature ejaculation in a male eomprising-consisting of administering to the male an antidepressant via a combination of mucosal-nasal administration and local administration to at least a part of the male genitalia.
- 63. (Previously presented) A method according to claim 62 wherein the antidepressant is administered prior to or during sexual activity.
 - 64. (Cancelled)
 - 65. (Cancelled)
- 66. (Previously presented) The method according to claim 62 wherein local administration is directly to the penis.
 - 67. (Cancelled)
 - 68. (Cancelled)
- 69. (Previously presented) The method according to claim 62, wherein the antidepressant is administered in an amount of between 0.1 and 1000 mg per dose.

Application No. 10/564,273

Amendment dated May 11, 2009

Reply to Office Action of February 11, 2009

- 70. (Currently amended) The method according to claim 62 wherein a single antidepressant or single combination of antidepressants is administered via the combination of mucosal-nasal-administration and local administration to at least a part of the male genitalia.
- 71. (Currently amended) The method according to claim 62 wherein two or more different antidepressants or two or more different combinations of antidepressants are administered via the combination of mucosal-nasal administration and local administration to at least a part of the male genitalia.
- 72. (Previously presented) The method according to claim 71 wherein the antidepressant combination includes serotonin reuptake inhibitor (SSRIs) and a monoamine oxidase inhibitor.
- 73. (Previously presented) The method according to claim 62 wherein the antidepressant is massaged into the skin of the male genitalia prior to intercourse for about one minute.
- 74. (Previously presented) The method according to claim 73 wherein the antidepressant is massaged into the skin of the male genitalia about 30 to 60 minutes prior to intercourse.
- 75. (Previously presented) The method according to claim 62 wherein the antidepressant is taken nasally within 30 minutes prior to intercourse.
- 76. (Currently amended) A composition-medicament for the treatment of premature ejaculation, said medicament composition comprising consisting of an antidepressant formulated for mucosal administration and an antidepressant formulated for local administration to at least part of the male genitalia.
- 77. (Currently amended) The composition medicament according to claim 76 wherein said antidepressant is selected from serotonin reuptake

inhibitors, serotonin norepinephrine reuptake inhibitors, monoamine oxidase inhibitors, norepinephrine dopamine reuptake inhibitors, serotonin antagonist and reuptake inhibitors, norepinephrine antagonist/serotonin antagonists, synthetically derived phenylpiperazine antidepressants, antagonists of central L2- $\alpha2$ auto and heteroadrenoceptors, and mixtures thereof.

Docket No.: 64734(70403)

- 78. (Currently amended) The composition-medicament according to claim 76 wherein said antidepressant is a mixture of a serotonin reuptake inhibitor and a monoamine oxidase inhibitor.
- 79. (Currently amended) The <u>composition_medicament_according</u> to claim 77 wherein said serotonin norepinephrine reuptake inhibitor is a bicyclic, tricyclic or tetracyclic antidepressant.
- 80. (Currently amended) The composition medicament according to claim 76 wherein said antidepressant is selected from paroxetine, fluoxoetine, sertraline, citalopram hydrobromide, fluoxoamine, sertraline, nortriptyline hydrochloride, clomipramine hydrochloride, dothiepin hydrochloride, Imipramine hydrochloride, mianserin hydrochloride, amitriptyline hydrochloride, phenelzine sulphate, tranylcypromine sulphate, isocarboxazid, moclobemide, serotonin and/or adrenalin update inhibitors such as venlafaxine, nefazodone hydrochloride, trazodone, bupropion, mirtazapine, doxepin hydrochloride, trimipramine or mixtures thereof.

81. (Cancelled)

82. (Currently amended) The composition medicament according to claim 76, wherein said antidepressant formulated for local administration to at least part of the male genitalia further including includes an enhancer agent selected from cyclodextrin, water, a monohydric alcohol, and a polyhydric alcohol.

Docket No.: 64734(70403)

83. (Currently amended) The composition-medicament according to claim 76, wherein said antidepressant formulated for local administration to at least part of the male genitalia comprising consists of:

about 20 to about 60% water;

about 80% to about 40% alcohols

1 to 10% Hydroxypropyl-β-cyclodextrin (HPBCD); and

an antidepressant; and

wherein said antidepressant agent and the said HPBCD are present in the composition in a molar ratio of about 1:0.8 to 1:1.4 respectively.

- 84. (Currently amended) The composition medicament according to claim 76 wherein the concentration of the antidepressant is between about 1 to 10% by weight of said composition medicament.
 - 85. (Cancelled)